

Message

---

**From:** Prentice, Amanda [Prentice.Amanda@epa.gov]  
**Sent:** 7/13/2021 2:56:19 PM  
**To:** LaVigna, Gaetano [LaVigna.Gaetano@epa.gov]; Cardile, Joseph [Cardile.Joseph@epa.gov]; Tu, Victor [Tu.Victor@epa.gov]; Leung, Chao [Leung.Chao@epa.gov]  
**CC:** Buettner, Robert [Buettner.Robert@epa.gov]; Burke, Shaun [Burke.Shaun@epa.gov]  
**Subject:** FW: Parkway VOC analysis

**Ex. 5 AC / Ex. 7(A)**

**Amanda M. Prentice**

Assistant Regional Counsel  
U.S. Environmental Protection Agency, Region 2  
290 Broadway, 16<sup>th</sup> Floor  
New York, NY 10007  
Phone: 212-637-3209  
Email: [Prentice.Amanda@epa.gov](mailto:Prentice.Amanda@epa.gov)  
Pronouns: she/her

CONFIDENTIAL: This transmission may contain deliberative and/or enforcement confidential, attorney-client, or otherwise privileged material. Do not release under FOIA without appropriate review. If you have received this message in error, you are asked to notify the sender and to delete this message.

---

**From:** Bob Peshak <[bpeshak@envirosure.com](mailto:bpeshak@envirosure.com)>  
**Sent:** Tuesday, July 13, 2021 10:38 AM  
**To:** Prentice, Amanda <[Prentice.Amanda@epa.gov](mailto:Prentice.Amanda@epa.gov)>  
**Cc:** [ABenisatto@shapiro-croland.com](mailto:ABenisatto@shapiro-croland.com)  
**Subject:** Parkway VOC analysis

Good afternoon Amanda,

We are working on the feasibility of a performance test at Parkway and one simple question came up. For the VOC analysis, are we to use EPA Method 25A?

Bob Peshak  
General Manager  
**Envirosure, LLC**  
1018 East Guadalupe Road, Tempe, AZ 85283  
(office) 480.784.4621 ext 414 / (direct) 480.704.4749 / (cell) 480.686.6871  
[bpeshak@envirosure.com](mailto:bpeshak@envirosure.com)  
[www.envirosure.com](http://www.envirosure.com)



Please consider the environment before printing this email

**IMPORTANT NOTE:** The information contained in this transmission and any attached files is intended only for the named addressee (s) and may contain confidential, proprietary and/or privileged attorney-client material. Any interception, review, retransmission, dissemination, or other use of this information by parties other than the intended recipient (s) is strictly prohibited. If you received this communication in error, please notify the sender using either the "reply" command or via telephone at [\(480.784.4621\)](tel:480.784.4621), and immediately delete this e-mail and all attached files from any computer or network system.

